

MA.SO

EC FERTILIZER
Magnesium sulphate

Composition:

Magnesium oxide(MgO) water soluble.....16%
Sulphuric anhydride(SO₃) water soluble.....32%

pH sol. 1%= 6,5
EC (1 g/lietr - 25°C) = 0,7 mS/cm
Solubility max - 25°C = 710 g/l H₂O



Size Kg 25

Characteristics:

MA.SO is a based magnesium sulphate fertilizer. Magnesium is very important for plants. It gets in chlorophyll composition and besides it is present in several metabolic processes. For its high purity the product can be used to leaf application and in fertirrigation.

Dose and instructions for use

Fertirrigation:

Vegetables and strawberry: 10-15 kg/100 sm. Subdivide the doses into more applications.
Apple, pear, cherry and apricot: 70-100 kg/100 sm. Subdivide the doses into more applications.
Olive, actinidia, vine, peach and citrus: 70-100 kg/100 sm. Subdivide the doses into more applications.
Industrial crops: to distribute 50-70 kg/100 sm. Subdivide the doses into more applications.
Ornamental and flowering plants: 10-15 kg/100 sm. Subdivide the doses into more applications.

Leaf application:

Vegetables and strawberry: g. 300-500 per hl di acqua.
Apple, pear, cherry and apricot: Kgs 1.5-2.5 per hectare.
Olive, actinidia, vine, peach and citrus: Kgs 1.5-2.5 per hectare.
Industrial crops: Kgs 1-1.5 per hectare.
Ornamental and flowering plants: g 200-250 per hl of water

MAGNESIO PLUS

EC FERTILIZER
Magnesium sulphate with copper(Cu), manganese(Mn), zinc(Zn), to mixing obtained.

Composition:

Magnesium oxide(MgO) water soluble.....15%
Sulphuric anhydride(SO₃) water soluble.....30%
Copper(Cu) water soluble.....0,2%
Manganese(Mn) water soluble.....0,5%
Zinc(Zn) water soluble.....0,5%

pH sol. 1%= 6,1
EC (1 g/liter - 25°C) = 0,9 mS/cm
Solubility max - 25°C = 400 g/l H₂O



Size Kg 10

Characteristics:

MAGNESIO PLUS is a fertilizer with a high magnesium content enriched with microelements. It prevents and cures lack of microelements and too it exerts a synergistic action on magnesium absorption.

Dose and instructions for use

Fertirrigation:

Vegetables and strawberry: to distribute 2-3 kgs per 1.000 sm of soil every 8/10 days.
Apple, pear, cherry and apricot: to distribute 50-60 kgs per hectare in 3-4 times.
Olive, actinidia, vine, peach and citrus: to distribute 50-60 kgs per hectare in 3-4 times.
Industrial crops: to distribute 40-50 kgs per hectare in 3-4 times.
Ornamental and flowering plants: to distribute 3-5 kgs per 1.000 sm of soil every 8/10 days.

Leaf application:

Vegetables and strawberry: g. 200-250 per hl di acqua.
Apple, pear, cherry and apricot: Kg 2-3 per hectare.
Olive, actinidia, vine, peach and citrus: Kg 2,5-3,5 per hectare.
Industrial crops: Kg 2-2.5 per hectare.
Ornamental and flowering plants: gr 200-300 per hl di acqua.