

HORTOPLUS NPK 20.20.10

EC FERTILIZER NPK fertilizer 20.20.10 with copper (Cu), manganese (Mn) and zinc (Zn) to mixing obtained.

Composition:

Total nitrogen(N).....	20%
Ammoniacal nitrogen.....	9.7%
nitric nitrogen.....	3%
ureic nitrogen.....	7.3%
Phosphoric anhydride (P ₂ O ₅)water soluble.....	20%
Potassium oxide(K ₂ O) water soluble.....	10%
Copper (Cu)	0.05%
Manganese (Mn).....	0.05%
Zinc (Zn)	0.05%



Characteristics:

HORTOPLUS 20.20.10 is a water soluble fertilizer with high contents of nitrogen and phosphorus. Its ratio between elements makes this product particularly suitable in the first stage of crop cycle, during flowering and in the increasing stage of fruits.

Dose and instructions for use - fertirrigation

Vegetables and strawberry: 5-10 Kgs per 1,000 sm of soil every 8/10 days during all vegetative phases.

Citrus, olive, vine, and actinidia: 70-120 Kgs per hectare during all vegetative phases.

Pear, apple, peach, apricot, plum and cherry: 70-120 Kgs per hectare during all vegetative phases.

Fodder and industrial crops: 50-100 Kgs per hectare during all vegetative phases.

Ornamental and flowering plants: 5-10 Kgs per 1,000 sm of soil every 8/10 days during all vegetative phases.

HORTOPLUS NPK 20.10.10

EC FERTILIZER NPK fertilizer 20.10.10 with copper (Cu), manganese (Mn) and zinc (Zn) to mixing obtained.

Composition:

Total nitrogen(N).....	20%
Ammoniacal nitrogen.....	14%
Nitric nitrogen.....	3%
Ureic nitrogen.....	3%
Phosphoric anhydride (P ₂ O ₅)water soluble.....	10%
Potassium oxide(K ₂ O) water soluble.....	10%
Copper (Cu)	0.05%
Manganese (Mn).....	0.05%
Zinc (Zn)	0.05%



Characteristics:

HORTOPLUS 20.10.10 is a water soluble fertilizer with high content of nitrogen. It is particularly suitable in the first vegetative phase and during increasing fruits.

Dose and instructions for use - fertirrigation

Vegetables and strawberry: 5-10 Kgs per 1,000 sm of soil every 8/10 day in the first vegetative stages and during increasing stage of fruits.

Citrus, olive, vine, and actinidia: 70-120 Kgs per hectare during increasing stage of fruits.

Pear, apple, peach, apricot, plum and cherry: 70-120 Kgs per hectare during increasing stage of fruits.

Fodder and industrial crops: 50-100 Kgs per hectare in the first vegetative stages.

Ornamental and flowering plants: 5-10 Kgs per 1,000 sm of soil every 8/10 days in the first vegetative stages.