

TECNOPLUS NPK 14.0.40

EC FERTILIZER NPK fertilizer 14.0.40 with copper (Cu), manganese (Mn) and zinc (Zn) to mixing obtained.

Composition:

Total nitrogen(N).....	14%
Ammoniacal nitrogen.....	2.6%
Nitric nitrogen.....	11.4%
Potassium oxide(K ₂ O) water soluble.....	40%
Copper (Cu)	0.05%
Manganese (Mn).....	0.05%
Zinc (Zn)	0.05%

Characteristics:

TECNOPLUS 14.0.40 is a water soluble fertilizer with ratio between elements in favour of potassium. This product is particularly suitable in the ripening stage. It makes better organoleptic characteristics to fruits.

Dose and instructions for use - fertirrigation

Vegetables and strawberry: 5-10 Kgs per 1,000 sm of soil every 8/10 day during ripening stage of fruits.

Citrus, olive, vine, and actinidia: 70-120 Kgs per hectare during ripening stage of fruits.

Pear, apple, peach, apricot, plum and cherry: 70-120 Kgs per hectare during ripening stage of fruits .

Fodder and industrial crops: 50-100 Kgs per hectare in the final stage of vegetative cycle.

Ornamental and flowering plants: 5-10 Kgs per 1,000 sm of soil every 8/10 days in the final stage of vegetative cycle.



Conf. Kg. 25

TECNOPLUS NPK 14.40.0

EC FERTILIZER NPK fertilizer 14.40.0 with copper (Cu), manganese (Mn) and zinc (Zn) to mixing obtained.

Composition:

Total nitrogen(N).....	14%
Ammoniacal nitrogen.....	14%
Phosphoric anhydride (P ₂ O ₅) water soluble.....	40%
Sulphuric anhydride(SO ₃) water soluble.....	24%
Copper (Cu)	0.05%
Manganese (Mn).....	0.05%
Zinc (Zn)	0.05%

Characteristics:

TECNOPLUS 14.40.0 is a water soluble fertilizer with ratio between elements to favour of phosphorous. This product contains sulphuric anhydride that contributes to lower soil pH.

High phosphorous content makes it particularly suitable in the flowering stage.

Dose and instructions for use - fertirrigation

Vegetables and strawberry: 5-10 Kgs per 1,000 sm of soil every 8/10 day from the first vegetative stages until flowering.

Citrus, olive, vine, and actinidia: 70-120 Kgs per hectare during flowering.

Pear, apple, peach, apricot, plum and cherry: 70-120 Kgs per hectare during flowering.

Fodder and industrial crops: 50-100 Kgs per hectare in the first vegetative stages.

Ornamental and flowering plants: 5-10 Kgs per 1,000 sm of soil every 8/10 days from the first vegetative stages until flowering.



Conf. Kg. 25